



Liberty Surgical Associates, PLLC
400 136th Ave. Holland, MI 49424 616-738-0470 Fax: 616-738-0498

Zeeland Hospital Colonoscopy Instruction Sheet *Chronic Constipation*

Instructions for the Use of MiriLax:

Purchase your prescriptions, faxed to _____, of six (6) Dulcolax tablets (laxative), two (2) 238g bottle of MiraLax, one (1) bottle of Milk of Magnesia, and four (4) 32oz bottles of clear colored Gatorade or Propel, or any brand of water with electrolyte/mineral supplemented. (Note: Your total solutions volume is 128oz)

5 Days Prior to Your Exam _____:

Discontinue any Aspirin, Plavix, Aggrenox, Coumadin, Persantine, Ticlid, Pletal, Vitamin E, Celebrex, Naprosyn, Motrin, Relafen, Ibuprofen, Aleve, Advil, Mobic, and medications containing Iron. You may use Tylenol as needed.

3 Days Prior to Your Exam _____:

Do not eat popcorn, nuts, corn, or grapes with seeds.

2 Days Prior to Your Exam _____:

At breakfast, begin the Low Residue/Low Fiber Diet (see enclosed diet sheet).

Take one dose of Milk of Magnesia, follow directions on bottle.

At night, take two (2) Dulcolax.

1 Day Prior to Your Exam _____:

If you are on Insulin, use half of your regular dose and check your blood sugars regularly.

At 3:00pm, take two (2) Dulcolax tablets. Begin clear liquid diet.

At 4:00pm, mix two bottles of MiraLax equally divided between the four bottles of Gatorade, Propel, or other electrolyte replacement water by drinking one 8oz glass of the solution every 10-15 minutes until the entire solution is gone. The entire solution should be completed in 2 hours. Diarrhea may begin within an hour and continue for 2-3 hours after finishing the preparation.

At 9:00pm, take the remaining two (2) Dulcolax tablets with an 8oz glass of any approved clear liquid. After you have completed the preparation, continue to have only clear liquids until 6 hours prior to the exam for adequate hydration.

Day of Your Exam _____:

Do not eat or drink anything 6 hours prior to your exam.

If you are on insulin, hold your dose the morning of the procedure.

You may experience some nausea, abdominal cramping, and some discomfort while using this medication. You will be given IV sedation, therefore you MUST arrange for someone to drive you home from the hospital. The hospital will call you the day before your exam to confirm your arrival time and give further instructions. If you have any questions regarding these instructions, call the office at 616-738-0470 during business hours and Dr. Hoberman after hours at 616-610-0190.